
Subclass Class PROVISIONAL APPLICATION NUMBER Form PTO-1625 (Rev. 5/95)

JUL 17 2006 MARINE TRADEMENT



PATENT APPLICATION SERIAL NO. _____

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE FEE RECORD SHEET

> 09/03/1999 CEETIN 00000056 60151483 01 FC:114 156.00 GP

	•	CLASS	GROUP ART		
60/151,483 PROVISIONAL			0000	P-	68392/DJB/
TODD DICKINS	ON, SAN DIEGO, CA.				
7 ₩ ₩					,
	DOMESTIC DATA*****	*****			
VERIFIED					
371 (NAT'L VERIFIED	STAGE) DATA*****	****			
FOREIGN AP	PLICATIONS*****	**			
VERIFIED					
	d Thee Tho	STATE	OR SHEET	s TOTA	AL Í INDEPEN
Foreign Priority claimer 35 USC 119 (a-d) cond	d □yes □no ditions met □yes □no □Met a		OR SHEET TRY DRAW 2	S TOTA	NL INDEPEN MS CLAIMS
Verified and Acknowle	edged Examiner & Initials	ofter Allowance COUN CA		S TOTA	NL INDEPEN CLAIMS
Verified and Acknowle	edged Examiner's initials LVA ACH	CA		S TOTA	NL INDEPER MS CLAIMS
ROBIN M SII SOFTLEHR HOHBA ALBRITTON 6 4 EMBARCADE	edged Examiner A Initials LVA ACH & HERVERT LLP ERO CENTER SUITE 3400	CA		S TOTA	AL INDEPEN MS CLAIMS
Verified and Acknowler ROBIN M SII STLEHR HOHBA ALBRITTON & 4 EMBARCADE SAN FRANCIS	edged EXAMINET A INIUALE LVA ACH & HERVERT LLP ERO CENTER SUITE 3400 SCO CA 94111	CA	2	S TOTA	NL INDEPEN MS CLAIMS
ROBIN M SII SO FLEHR HOHBA ALBRITTON 6 4 EMBARCADE SAN FRANCIS METHOD FOR	edged Examiner A Initials LVA ACH & HERVERT LLP ERO CENTER SUITE 3400	CA	2		NL INDEPER MS CLAIMS
Verified and Acknowler ROBIN M SII STLEHR HOHBA ALBRITTON & 4 EMBARCADE SAN FRANCIS	edged EXAMINET A INIUALE LVA ACH & HERVERT LLP ERO CENTER SUITE 3400 SCO CA 94111	CA	2		AL INDEPEN MS CLAIMS
ROBIN M SII FLEHR HOHBE ALBRITTON & 4 EMBARCADE SAN FRANCIS METHOD FOR	edged EXAMINET A INITIAL LVA ACH & HERVERT LLP ERO CENTER SUITE 3400 SCO CA 94111 IMPROVING SIGNAL DET	CA	2 ROARRAYS		NL INDEPER MS CLAIMS
ROBIN M SII SO FLEHR HOHBA ALBRITTON 6 4 EMBARCADE SAN FRANCIS METHOD FOR	EXAMINET A INITIALE LVA ACH & HERVERT LLP ERO CENTER SUITE 3400 SCO CA 94111 IMPROVING SIGNAL DET	CA INTERIOR FROM MIC	ROARRAYS	All Fees 1.16 Fees (Fil	ling)
ROBIN M SII FLEHR HOHBE ALBRITTON & 4 EMBARCADE SAN FRANCIS METHOD FOR	edged Examiner A Initials LVA ACH É HERVERT LLP ERO CENTER SUITE 3400 SCO CA 94111 IMPROVING SIGNAL DET	CA ECTION FROM MIC given in Paper edit DEPOSIT ACCO	ROARRAYS	All Fees 1.16 Fees (Fil	ling) ocessing Ext. of t sue)

•

の 100/60	C674 U.S. PTO			I bently certify Mail Post Offic Patent Applic	L APPLICATION ANIL' MAILING L that this paper or fee to to Addresses " service to Addresses " service	ON under 37 ABEL Number and listed encl aunder 37 C.P. amissioner for I	CFR 1.53(c) <u>RI.243918440UB</u> , De ceures is being deposit R. 1.10 on the date in	ts of Deposit Alemet 3 and with the United Sta directed above and is at 0.C. 20231, on Alement Type a plus sig inside this box	ses Postel Serviz idressed to Box I 130, 1999.	*Bapro
				INVENTOR(s)//	APPLICANT(s)					
	LAST NAMB		FIRST NAME		MIDDLE	RESIDENCE (CITY AND EITHER STATE OR POREION COUNTRY)				
ŀ	DICKINSON	· v · · ·	Toold			San Die	go, Californi	8.		
ŀ			TITL	B OF THE INVENT	ON (280 chara	cters max)			a.	2
Ī		METHOD F		OVING SIGNAL		· · · · · · · · · · · · · · · · · · ·	MICROARI	RAYS	о Э	1514
. }				CORRESPONDE	NCE ADDRES	s		-	. 20	00
ğı	EI END NO	UDACU TEST	I DDITT	ROBIN M		o coodaco	Cantar Suita	3400 Con F	ranoicae	
6000万八本东 湖	STATE	CA	LBRITTE	ZIP CODE	9411		COUNTI		US	
			ENCLO	SED APPLICATION	PARTS (check	all that app	<i>by)</i>			
	X Specification Number			mber of Pages 5				Small Entity Statement		
	Dre	awings A	lumber of She	eets]	Ĺ		Other (spec(fy)): .	
M D	ME	FUOD OF BAVMEN	T OF EU IN	O FEES FOR THIS P	TAKODSIVOQ	ADDI ICAT	TON FOR PATT	NT (check one)		_
## ## ##		•	,	order is enclosed to co			PRO	OVISIONAL	\$150	
Q	fees The Commissioner is hereby authorized			AMO			ING FBB IOUNT 0.00			
	1 1	ng foce and credit De	-	- •	0-1300 (Ord 2-68392/DJB					
[No. Yes, the			overnment or under a				Government.		
	espectfully submitter	Polm.	M. S	Solm_		_	Da	August 3	0, 1999	
	TYPED of PRINTED NA	I AMB <u>Robin M.</u> S	Silva		···	REG	ISTRATION NO			

Additional inventors are being named on separately numbered sheets attached hereto.

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

Burden Hour Statement: This form is estimated to take .2 hours to complete. Times will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Assistant Commissioner for Patents, Washington, DC 20231.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Box Provisional Application, Assistant Commissioner for Patents, Washington, DC 20231. D.C. 20231.

This form is provided to permit evaluation of the patent potential of company inventions, and to facilitate preparation of patent applications when warranted. Please fill in each space as completely as possible, and use additional sheets when necessary.

1. Name: Todd Dickinson

2. Date:

- 3. State the Title of the Invention: Method for Improving Signal Detection from Microarrays
- 4. Describe the invention: Use additional sheets if necessary. Attach descriptive materials such as drawings, sketches, photographs, etc. which may help illustrate the invention. Delineate new and important features. Make sure to include both the preferred embodiment as presently identified, and alternative constructions, procedures or equivalent components which can accomplish the same result as the preferred embodiment.

The ability for any analytical system, optical or otherwise, to detect a change in signal is dictated by the background and noise associated with that signal. Exploring different ways to improve the signal to background ratio by either amplifying the signal, reducing the background, or both, is thus a critical area of research during the development of any type of analytical detection system.

One of the primary sources of background in optical microarray systems is the intrinsic fluorescence of the array substrate. In the present Illumina array configuration, the fluorescence of microspheres immobilized at the distal tip of the imaging fiber bundle is imaged from the proximal end of the bundle. While this approach has a number of advantages, most importantly being the remote sensing capability and the ease of sample interface, the background of the measurement will necessarily include any fluorescence originating from the fiber core glass itself. Since each fiber element is its own waveguide, it is particularly susceptible to generating high fluorescence readings on the detector since the fluorescence of the glass constituents as well as any contaminants present at the core-clad interface will be captured and propagated down the fiber and measured by the detector. Conversely, if one turns the fiber around and images the bead array directly, the background is found to be slightly reduced (most likely due to the fact that the focal plane is no longer placed on the glass itself, but rather on the beads in the wells, and thus collection of core fluorescence is not as efficient). This effect is shown in Figure 1.

5. State the primary purpose of the invention, including the need satisfied or problem solved by the invention:

The purpose of the present invention is to enhance the optical signals that are collected from a microarray either through a unique method of increasing signal collection efficiency, reducing background, or a combination of both. There is a critical need for high sensitivity in the array field for a wide range of assays: for example, high sensitivity can lead to 1) improved accuracy of results, 2) a broader range of assays that can be performed, 3) higher throughput of assays and reduced costs due to less stringent requirements on sample concentration. The present invention may accomplish some of these results by improving the overall sensitivity (lowering the detection limit) of optical microarrays, and incresing the dynamic range of system, allowing quantitation over a larger concentration range.

6. Please list what you feel is the prior art: please include references, articles, talks, abstracts, patents, etc. which are relevant to either the state of the prior art or to the invention. Please include dates and provide copies whenever possible:

Diping Che has done some similar work with other devices – no publications have been made yet, but he has delivered two talks on the subject:

"A novel surface, attachment chemistry and CCD-based Imaging system for analysis of genomic DNA arrays" D. Che et. al., Journal of Scanning Microscopies, 21(2), 63-64, 1999.

"Microarray chip based on comparative genomic hybridization", D. Che, International Business Conference on Massively parallel DNA analysis, San Francisco, August, 1998.

7. Are there any publications, abstracts, submitted manuscripts, talks, etc. on this work (either already done or in the works)? Please provide details and dates:

None.

8. Compare new and important features of the invention with the prior art, explaining why and how the invention is better:

The present invention applies to patterned substrates, and to microsphere arrays.

9. Please list known competitors or alternate technologies which solve the same problem:

None known.

10. Are there commercial products you envision? Please describe:

This process could easily be incorporated into the manufacturing process of Illumina's Array of Arrays technology. It is likely that there are many other potential applications of this type of signal improvement in other types of optical analytical systems as well.

11. What are the immediate research plans or steps to be taken:

Repetition of experiments, and checking additional fluorescence channels for similar S/N improvements.

12. What are the longer term research plans or steps to be taken:

Other metal films, as well as varying thicknesses, should be explored. Metal coating adhesion to various polymer substrates should be investigated. Imaging systems capable of direct distal-end imaging need to be developed. Sample interface issues will need to be addressed.

13. Earliest date and place invention was conceived, and substance of conception (identify people and records to support date and place, such as notebook numbers and pages):

Invention was first recorded by Todd Dickinson on August 17, 1999, on page 156 of Illumina Lab Notebook 0004 (Todd Dickinson) – idea originally conceived in July, and discussed with Dr. Diping Che in early August.




Figure 2. a) A comparison of signals and backgrounds from a single bead type (fluorescein-labelled silica) assembled in a Pd-coated vs. uncoated etched fiber array. Fluorescence image of beads in b) uncoated etched fiber (signal to background of 2.47), and c) Pd-coated etched fiber (signal to background of 28.78).

For this experiment, fluorescein-labelled silica beads were loaded into two different etched fiber bundles: one coated with a thin palladium film (via vapor-deposition), the other uncoated. The average intensities of a subset of beads and empty cores were measured for each fiber and graphed in Figure 2a. The results indicate a substantial reduction in background of the metal-coated fiber as compared to the uncoated fiber, resulting in a 10-fold improvement of the signal-to-background ratio.

These experiments indicate that a) metal films can provide a non-fluorescent, low-background coating for array substrates that improves signal-to-background ratios, and that b) the film does not prevent the immobilization of microspheres into microwell arrays. Furthermore, it is possible that similar metal or other types of coatings could be applied to other substrate materials such as plastics (e.g. polycarbonate, polyamide, polymethyl methacrylate, polysulfone, etc.), silicon, silicones, quartz, and other materials. It is important to note that the ability to lay down a non-fluorescent coating over a patterned substrate material obviates the need to use materials with intrinsically low fluorescence, thus broadening the scope of materials available for generating array platforms.

An added benefit to coating a microarray substrate material may be more efficient signal collection through reflection. Provided an appropriate metal coating is chosen, it is likely that we can harness more of the fluorescence emitted from each bead by creating a reflective surface which can direct fluorescence back toward the detector. There are a wide array of coatings that could prove useful for this application, such as gold, silver, chromium, platinum, and indium tin oxide.

This technique could be used to improve sensitivity of a wide range of assays, including SNP genotyping, small molecule screening, immunoassays, enzymatic assays, and any other chemical or biological assay that can be performed in an optical microarray format.




Figure 1.

In this configuration, where one no longer needs to view through the fiber, one could imagine placing a non-fluorescent coating such as a thin metal film over the etched array that blocks the excitation light from hitting the fluorescent substrate underneath, thereby effectively reducing the background of the array. Preliminary experiments indicate that this is indeed possible (Figure 2).




Figure 2a)

Under the Pagerwork Reduction Act of 1886, no perform are recurred to resp. request for access to an abandoned application under 37 of right in re Appilassion of Bring completed form for File Information Unit Accipation Number Fiet 10, 30,00 Orystal Pieze Three, Room 1001 2021 South Clark Piace Adington, VA File Information Unit Telephone: (703) 309-2733 Thereby request access under ST OFR 1.14(a)(1)(iv) to the application file record of the above identified ABAAIDONED epolication, which is identified in, or to which a behefit is disimed, in the following document (se shown in the smachment): United States Patent Application Publication No. 460/18574, page, ______ line United States Palent Number ___ Related Information about Access to Panding Applications (37 CFR 1.14): Direct scoess to pending applications is not svallable to the public but copies may be available and may be purchased from the Office of Public Records upon payment of the appropriate fee (37 GFP, 1,19(e)), as follows: <u>For published explications that are still canding, a member of the public may obtain a copy of </u> the file contents; the pending application as originally filed; or any document in the file of the pending application. For unpublished applications that are still pending: (1) If the benefit of the pending epolication is claimed under 85 U.S.C. 119(e), 120, 121, or 385 in enother application that has: (a) issued as a U.S. patent, or (b) published as a statutory invention registration, a U.S. patent application publication, or an international patent application publication in accordance with POT Article 21(2), a member of the public may obtain a copy of: the file contents; the pending application as originally fliad; or any document in the file of the pending application. any obditional and the order perioning spinited to the Spinited in a U.S. patent, a statutor, in ention registration, a U.S. patent application publication, or an international patent application in representation of the public and the publication of the public may obtain a copy of: the pending application as originally filed. 2/24/04 Koupod vigue-Kelvir Rodvigue Typed or primaed name File Information Unit Registration Number, if epolicable 1031419-2797

effectively on a resultance of 1989 title. The triumprist engaging to china or taken a cantalogue a supplementational land of the 1987.


Talaphone i rumber

Um/

Under the Paperwork Raduction Act of 1995, no cancer are received to necessarily the Paperwork Raduction Act of 1995, no cancer are received to necessarily a paper of the pap REQUEST FOR ACCESS TO AN ABANDONED APPLICATION UNDER 37 CFR 1.14 In is Application of Sting completed form to: File Information Unit Application Number Crystal Plaza Three, Room 100: 2021 South Clark Place .: Adington, VA Telephone: (703) 308-2733 United States Patent Application Publication No. _ United States Patent Number 6942968, column _____, line, _____ or WIPO Pub. No. Related Information about Access to Pending Applications (37 CFR 1.14):
Direct access to pending applications is not available to the public but copies may be available and may be purchased from the Office of Public Records upon payment of the appropriate fee (37 CFR 1.19(b)), as follows:

the file contents: the pending application as originally filed; or any document in the file of the pending application. For unpublished applications that are still rending: (1) If the <u>benealth of the cending application is claimed</u> under 35 U.S.C. 119(e), 120, 121, or 365 in enother application that has: (a) issued as a U.S. patent, or (b) published as a statutory invention registration, a U.S. patent application publication, or an international patent application publication in secondance with PCT Article 21(2), a member of the public may obtain a copy of: the pending application as originally filed; or any document in the file of the pending application. (2) If the application is incorporated by reference or otherwise identified in a U.S. patent, a statutory invention registration, a U.S. patent application publication, or an international patent application publication in accordance with PCT Article 21(2), a member of the public may obtain a copy of: the pending application as originally filed. 7.10.06 Typed or printed name Approved by Registration Number, if applicable 203.413.3667 Telephone Number

POSITION	ID NO.	DATE
CLASSIFIER		
EXAMINER		
TYPIST		0/02/01
VERIFIER	706	1 9/13/96
CORPS CORR.	t -	
SPEC. HAND		
FILE MAINT		
DRAFTING		



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record.

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
☐ SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
☐ GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.